





#### Objectives

- Discuss the perceptions of female SANEs regarding males in the SANE role.
- Identify key themes that both support and preclude males from practicing as SANEs.










#### The Literature

- Healthcare
  - Limited studies regarding Sexual Assault (SA) patients and gender of HCP, 1975-2010
  - Early SANE articles provide experiential opinions of men in SANE role
  - Majority of studies from United Kingdom
- Law Enforcement
  - Limited studies regarding male versus female officers/detectives and HCP





#### Survivor Preference

Sexual Assault survivors prefer female providers

- Research studies
   Temkin (1998)\*
   Lovett et al. (2004)
   Regan et al. (2004)
   Christofides N.J., et al. (2005)
   Chowdhury-Hawkins, et al. (2008)
   Jamel (2010)\*
- Experiential

   Lewington (1988) †


   Wright et al. (1989) †


   Ledray (1993)


   Ledray (1996) †


  - † SANE Development & Operation Guide (1999) \* Law enforcement/legal journal






















































#### Major & Sub Themes

- Needs of our patients
  - Comfort
  - Preference
  - Relief (SANE was female)
  - Re-victimization
  - Difficult for female victims to be cared for by males



#### Major & Sub Themes

- Care of SA patients by males
  - Professionalism
  - Level of care is equal between males & females
  - Gender is not an issue
  - Institutions against males on SANE teams
  - Male Advocates generally positively accepted



### Needs of our patients



#### Needs of our Patients

- "If a female is victimized by a male, having another male examiner her . . .may cause further trauma during a time when the victim is quite vulnerable. I believe that the patient should be encouraged to voice their preference." (preference)
- "Females and males as victims of sexual assault are more comfortable with a female performing the forensic medical exam, period." (comfort)



"<u>Studies</u> have shown females to be more comfortable around a female nurse in this situation." (comfort)



#### Needs of our Patients

- "My last patient told me, 'I'm so glad you are a female. I don't know what I would have done." (relief)
- "If a female is victimized by a male, having another male examiner her . . . may cause further trauma during a time when the victim is quite vulnerable." (re-victimization)
- "I think a male doing this exam, no matter how professional, would be very difficult, maybe even terrifying, for a female patient assaulted." (difficult)



## Care of SA patients by males



#### Care by Males

- "Professionalism, empathy, honesty, competence, (and on-and-on) are the skills needed to be a SANE. Gender is not a skill." (professionalism)
- "I have no doubt that a male SANE can provide same level of care as a female." (level of care)



"Gender does not play a big part to me. Not all female nurses make good SANEs. It takes a certain type of individual (... male or female) to be able to care for forensic patients. What is important is a SANE's professionalism, skill set, and the ability to establish a therapeutic rapport with the patient." (gender)



#### Care by Males

- I have worked with male Advocates from Rape Crisis Center and they do a great job." (advocates)
- "I have local community partners who have already made it clear that they would not be supportive to a male having any nursing role with a victim of sexual violence, yet a male doctor is okay." (institutions)





# Comments about men in the SANE role



#### Against male SANEs

- "Do not make this a gender issue. Females and males as victims of sexual assault are more comfortable with a female performing the forensic medical exam, period."
- "I feel it is an inappropriate setting for a male nurse to practice."
- "A SANE must take in consideration a survivor's emotional-psychological well being when administrating care, and that supersedes equal opportunity in the SANE field of employment."



#### Comments for male SANEs

- "I fully support the male SANE. Although, most offenders are male, sexual assault is not a gender issue, it is a power issue. Male nurses can and do deliver high quality patient centered care everyday. We lack vision in a mostly predominant female centered profession by excluding this valuable member of our health care team."
- "I think it is very therapeutic for a female sexual assault patient to have a positive professional experience with a male provider after being assaulted. That positive experience is likely the first step in learning to trust males again and can help prevent future and possibly lifelong avoidance of male providers."



#### Conclusions

- The majority of respondents (84%) would welcome a male nurse as a SANE.
- Female SANEs feel patient preference & comfort are the strongest barrier for male providers.
- Institutions may preclude male nurses from practicing in this specialty.
- Female patients can have a positive experience with a male caregiver.
- A U.S. based study in patient satisfaction needs to be undertaken



#### Final thought on preference. . .

Males nurses in this study

Combined total of SA exams

812

Number of patients that declined them because they were males

1





#### References

- Adler, Z. (1991, May 31). Picking up the pieces. Police Review, 1114-1115.
  Back, E., & Wikblad, K. (1998). Privacy in hospital. Journal of Advanced Nursing, 27, 940-
- Brooks, F., & Phillips, D. (1996). Do women want women health workers? Women's views of the primary health care service. Journal of Advanced Nursing, 23, 1207-1211.
- Burgess, A. W., & Holmstrom, L. L. (1991). The victim of rape. New Brunswick, NJ: Transaction Publishers.
- rubishers. Chowdhury-Hawkins, R., McLean, I., Winterholler, M., & Welch, J. (2008). Preferred choice of gender of staff providing care to victims of sexual assault in sexual assault referral centres (SARCs). Journal of Forensic and Legal Medicine, 15(6), 363-367.



#### References

- Christofides, N. J., Muirhead, D., Jewkes, R. K., Penn-Kekana, L., & Conco, D. N. (2005, December 5). Women's experiences of and preferences for services after rape in South Africa: interview study. British Medical Journal. doi: 10.1136/bmj.38664.482060.55
  Chur-Hansen, A. (2002). Preferences for female and male nurses: The role of age, gender and previous experience- year 2000 compared with 1984. Journal of Advanced Nursing, 37(2), 192-198.
  Curtis, S. (1995). Gender friendly. Police Review, 28. DiNitto, D., Martin, P. Y., Norton, D. B., & Maxwell, M. S. (1986, May). After rape who should examine survivors? American Journal of Nursing, 538-540.

- DuMont, J., White, D., & McGregor, M. J. (2009). Investigating the medical forensic examination from the perspectives of sexually assaulted women. Social Science & Medicine, 68, 774-780.



#### References

- Kelly, K., Moon, G., Bradshaw, Y., & Savage, S. P. (1998). Insult to injury? The medical investigation of rape in England and Wales. Journal of Social Welfare and Family Law, 20(4), 409-420.
  Ledray, L. E. (1993, June). The sexual assault nurse clinician: A fifteen-year experience in Minneapolis. Journal of Emergency Nursing, 18(3), 217-222.
  Ledray, L. E. (1996, March). The sexual assault resource service: A new model of care. Minnesota Medicine, 79, 43-45.

- medicine, 79, 43-45.
  Lee, T. T., Westrup, D. A., Ruzek, J. I., Keller, J., & Weitlauf, J. C. (2007). Impact of clinician gender on examination anxiety among female veterans with sexual trauma: A plot study. Journal of Women's Health, 16(9), 1291-1299.
  Lewington, F. R. (1988). New initiatives in the investigation of rape. Medico-Legal Journal, 56(3), 111-124.



#### References

- Liddell, W. B. (2002). Does provider gender matter in sexual assault treatment? ADVANCE for NPs & PAs, 10(7). Retrieved from http://nurse-practitioners-and-physician-assistants.advanceweb.com/Article/Does-Provider-Gender-Matter-in-Sexual-Assault-Treatment.aspx
- Treatment.aspx
  Lodge, N., Mallett, J., Blake, P., & Fryatt, I. (1997). A study to ascertain gynaecological patients' perceived levels of embarrassment with physical and syschological care given by female and male nurses. Journal of Advanced Nursing, 25(5), 893-907.
  Lovett, J., Regan, L., & Kelly, L. (2004, July). Sexual assault referral centres: Developing good practice and maximising potentials (Research Study Home Office: http://webarchive.nationalarchives.gov.uk/201102201 05210/rds.homeoffice.gov.uk/ds/pdfs04/hors285.pdf MrRae, M. I. (2003, May/June). Obstetrical pursing:
- McRae, M. J. (2003, May/June). Obstetrical nursing: Perceptions of the role. Maternal-Child Nursing, 28, 167-173.



#### References

- Morin, K. H., Patterson, B. J., Kurtz, B., & Brzowski, B. (1999). Mothers' responses to care given by male nursing students during and after birth. Journal of Nursing Scholarship, 31(1), 83-87.
  Regan, L., Lovett, J., & Kelly, L. (2004). Forensic nursing: an option for improving responses to reported rape and sexual assault (Research Study Home Office Online Report 28/04). Retrieved from Home Office: http://webarchive.nationalarchives.gov.uk/201102201 05210/rds.homeoffice.gov.uk/rds/pdfs04/dpr31.pdf Temkin, J. (1998). Medical evidence in rape cases: A continuing problem for criminal justice. The Modern Law Review.

  Threadcraft H. I. & Wilcoven, S. A. (2003). iii
- Threadcraft, H. L., & Wilcoxon, S. A. (1993). Mixed-gender group co-leadership in group counseling with female adult survivors of childhood sexual victimization. Journal for Specialists in Group Work, 18(1), 40-44.



#### References

- Turnipseed, L. A. (1986). Female patients and male nursing students. Journal of Obstetric, Gynecologic, & Neonatal Nursing, 15(4), 345-348. Wright, C. M., Duke, L., & Sviland, L. (1989, April15). Northumbria women's police doctor scheme: a new approach to examining victims of sexual assault. British Medical Journal, 298, 1011-1012.